



LUMIPLUS CONNECT

A DELIGHTFUL EXPERIENCE

SMART SIMPLICITY IN POOL LIGHTING



CONNECT

LumiPlus Connect offers unrivaled light control, allowing you to take charge of your pool's ambiance with ease and from anywhere in the world. Discover the perfect illumination for your pool from a diverse array of options, ranging from white, warm white, tunable white, RGB, and RGBW.



Absolute control from anywhere



Scheduling: Set your own schedules



Dimming: Light intensity control



Customize your own colours and colour changing scenes



Colour changing speed control

alexa

Voice control: Alexa compatible

SIMPLE


EMPOWER YOUR LIGHTING EXPERIENCE



Revolutionize your control experience with our adaptable solution.

Seamlessly manage your lights through our Fluidra Pool™ App, designed for both Android and iOS users.

Have the freedom to control the pool lights your way with the added convenience of remote control.



SMART

ABSOLUTE CONTROL WHEREVER YOU ARE



Effortlessly integrate our system with the Fluidra Pool™ ecosystem for centralized control of your pool through the Fluidra Pool™ app, no matter where you are.

Create captivating pool ambiance with color customization, set schedules and choose colors or sequences with ease.

EFFICIENT

WE PUT THE FOCUS ON EFFICIENCY

Experience energy efficiency like never before with our innovative solution. Easily schedule the on and off times of your lights and take control of the light level with our dimming feature. The LumiPlus Connect is available in two wattages and are designed to adapt to every space and pool size, providing the perfect lighting solution.



LUMIPLUS FLEXI CONNECT

WHITE

EFFICIENCY: 

LUMINOUS FLUX:

2750 lm
4350 lm



76600
76601



76600WW
76601WW



76600TW
76601TW

RGB

EFFICIENCY: 

LUMINOUS FLUX:

2000 lm



76600M

RGBW

EFFICIENCY: 

LUMINOUS FLUX:

2500 lm
3500 lm



76600MW
76601MW

FLEXI PROJECTORS ARE MADE UP OF TWO COMPONENTS: CHOOSE THE FIXATION SYSTEM & DECORATIVE RING.



FLEXINICHE



FLEXISLIM



FLEXIRAPID

LUMIPLUS FLEXIMINI CONNECT

WHITE

EFFICIENCY: 

LUMINOUS FLUX:

450 lm (stairs)
900 lm (wall)



76602
76603



76602WW
76603WW



76602TW
76603TW

RGB

EFFICIENCY: 

LUMINOUS FLUX:

300 lm (stairs)



76602M

RGBW

EFFICIENCY: 

LUMINOUS FLUX:

400 lm (stairs)
800 lm (wall)



76602MW
76603MW

FLEXIMINI PROJECTORS ARE MADE UP OF TWO COMPONENTS: CHOOSE THE FIXATION SYSTEM & DECORATIVE RING.



FLEXIMINI
PIPE



FLEXIMINI
NOZZLE S



FLEXIMINI
NOZZLE L



FLEXIMINI
NICHE

LUMIPLUS CONNECT CONTROLLER



76290

LUMIPLUS CONNECT REMOTE CONTROLS



W/TW
76291

RGB/RGBW
76292